

P/021/61/000/001/002/002
A107/A126

AUTHOR: Sokalski, Kazimierz, Engineer

TITLE: Technical progress in the production of low-voltage equipment

PERIODICAL: Przeglad Elektrotechniczny, no. 1, 1961, 7 - 12

TEXT: This paper deals with the development of the low-voltage equipment production in Poland. Actually 15 electrical equipment plants with 450 workers are in Poland, of which 9 are low-voltage equipment plants with 220 workers. The production of low-voltage equipment increased from 1955 to 1959 from 29% to 45%. The following plants and institutes cooperated in the development of this industry: Locomotive Plant, Engineering and Automation Plant, Department of Electrical Equipment of the Polytechnic, Łódź; Department of High Voltage and Distributors of the Polytechnic, Gdańsk; Naval Electrical Engineering Plant IEL, Gdańsk; Departments of Electrical Engineering of the Polytechnics, Warsaw and Łódź, and the Electrical Material Testing Plant IEL, Wrocław. The following new equipment was produced: The "Elester" Plant (A-2) produces St-0, 8 amp and St-2, 25 amp (Fig. 1) alternating current contactors; the "Elan" Plant (A-13) produces SC-100, SC-200

Card 1 / 7

P/021/61/000/001/002/002
A107/A126

Technical progress in the production of...

and SC-400 contactors, whereas the prototype of the SC-600 contactor will be tested in the Polytechnic Łódz. The "Apator" Plant (A-7) produces small-size S-200 contactors (Figs. 2, 5 and 6), designed by Engineer Sapiejewski, IEL Plant, Gdansk. The new type contactors are of better quality and smaller in weight and size. In the following list the weights of old and new type contactors are compared:

	N 107 III-15	N 107 III-100	St-III-200	St-III-350
Old type:	1.2 kg	9.5 kg	15 kg	40 kg
		SC-100	SC-200	SC-400
New type:	SM-1 15 amp	7.4 kg	9.9 kg	26 kg
	0.35 kg			

The A-8 Plant produces SE DC contactors and breakers of 25, 40, 80, 150, 300, and 600 amp (Fig. 3). The A-7 and A-8 Plants produce new type fuses and the A-32 Plant low-voltage distributors designed by Engineer Machur. In a non-specified plant APU 15:200 and 400 amp 15 kamp and APU 30, 400, 600 and 1,000 amp 30 kamp switches (Fig. 4) are produced on a large scale. The A-12 Plant produces various electric traction motors for use on road, rail and mine vehicles. In non-specified plants various motors especially for whinches (Fig. 7) are produced. The "Elester" Plant produces electrical

Card 2/7

Technical progress in the production of...

P/021/61/000/001/002/002
A107/A126

equipment for cranes, elevators, etc. (Fig. 8). Further are produced various switchboards, auxiliary motors, signaling devices, production lines, etc. The author describes various difficulties in production, i. e. lack of tooling, laboratory equipment, trained personnel, etc., and gives some suggestions for technical and mechanical improvement of electrical equipment plants. There are 8 figures.

Card 3/7

SOKALSKI, Kazimierz, inz.

Present state and development trends in the electric apparatus
making industry. Przegl elektrotechn 38 no.5:191-195. '62.

1. Zjednoczenie Przemyslu Maszyn i Aparatow Elektrycznych,
Warszawa.

PTA

9

625 11
1145
Sowalski, K. **Observations Made and Experience Gained in the Construction of Concrete Road Surfaces.**
"Spostrzeżenia i doświadczenia z budowy nawierzchni betonowej"
Drogownictwo No 3, 1951, pp. 69-77, 20 figs

The steady increase in the use of concrete road surfaces is due to the advantages offered by this type of surface, namely: 1) rapid progress of work, even when employing inadequately skilled labour; 2) the possibility of mechanising all working processes; 3) low cost in the case of mechanised working processes; 4) high resistance to wear, etc. Disadvantages of concrete road surfaces: 1) splitting of the surface in the event of faulty construction of foundations, 2) closing the road to traffic for a comparatively long time, 3) lesser resistance of the road surface to wear caused by horse traffic, etc. Construction of experimental road sectors. Road surfacing materials. Technology of concrete: laboratory tests of materials, and mixtures, checking the setting time of cement. Road surface cross section of experimental sectors. Work organisation, set of machinery required. Advantages of mechanisation.

SOKALSKI, K.

"Let Us Save Concrete." p. 85, DEOGÓRNICTWO, Vol. 9, No. 4, Apr. 1954.
Warszawa, Poland.)

SO: Monthly List of East European Accessions, (EEAL), LC,
Vol. 3, No. 12, Dec. 1954, Uncl.

SOKALSKI, K.

"First combustion rollers of domestic production." p. 266.
(DROGOWNICTWO Vol. 9. No. 11, Nov. 1954. Warszawa, Poland)

SO: Monthly List of East European Accessions (EEAL). LC. Vol. 4. No. 4.
April 1955. Uncl.

SOKALSKI, K.

Guiding principles for the courses of activity of the Road
Construction Institute. p. 169. Vol. 10, no. 7, July 1955;
Drogownictwo.

SOURCE: East European Accessions (EEAL), LC, Vol 5, no. 3, March 1956.

MILITI, R.

Machinery for the preparation of a bituminous mass of Polish production.
... 69.

ROZUMIECEN. (Wydawnictwo Komunikacyjne) Warsaw, Poland. Vol. 1,
no. 3, March 1952.

Monthly List of East European Accessions (EAI) 'C, Vol. 8, no. 7, July 1952

Uncl.

"APPROVED FOR RELEASE: 08/25/2000


CIA-RDP86-00513R001651920011-5

SOKALSKI, K.

Construction of electric apparatus in Poland, conditions and
trends in its development. Mashinostroenie 12 no.1:11 Ja '63.

APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R001651920011-5"



C.A.

Some siliceous rocks in Poland. Marian Kamienski and
Zdzislaw Sokalski. Rocznik polsk. Towarz. Geol. (Ann.
soc. geol. Polonie) 19, 359-99 (in English, 360-9) (1950).—
Spongy, porous silica-rich rock was probably formed by the
leaching of impure marls. Nine chem. analyses are given.
Chal is the principal constituent of the leached rock, with
minor quartz, glauconite, and mica. Michael Fleischer

Sokalski, Zdzislaw.

B 0 b c 8

Determination of electrokinetic potential by measuring the current flow. Zdzislaw Sokalski (Politech. Szczecin, Pomerania), *Zeszyty Nauk. Politech. Szczecin. Chem.*, No. 3, 7-40 (1951).—S. thought that in different samples of distill. H₂O having exactly the same sp. cond. (I) the electrokinetic potential (II) varied, owing to traces of some ions. Only samples from the same batch of distill. H₂O had the same I. In the app. of S. H₂O under pressure of clean compressed air (free from traces of CO₂) was flowing through Jena-glass capillary tubes of 0.054 and 0.023 cm., resp., internal diam. and 41 cm. long. Under pressure and 20° the velocity of H₂O in the larger capillary tube was 138.8 and in the smaller one 35.9 cm./sec. The potential difference across the larger capillary tube was 5.25-5.55 and in the smaller one 2.69-2.86 v. Special construction of the app. avoided contamination of the H₂O during its pouring into the measuring vessel. I of twice-distill. H₂O was 0.23 × 10⁻⁴; that of once-distill. H₂O was 1.7 × 10⁻⁴ ohm⁻¹ (Ω is ohm). All other samples of water were prep'd. by mixing the above batches. When I was 0.51, 0.70-0.74, 0.98-1.02, and 1.76 Ω⁻¹ cm.⁻¹, II was 102 (at 20.0°), 39 (at 22.7°), 78.6 (at 23.0°), and 77 (at 22.5°) mv., resp. The above values for II were calc'd. from the formula: II = $\frac{f}{\pi} \cdot \frac{(36 \times 10^4 \times L) \cdot \rho \cdot U \cdot D \cdot \mu \cdot \varphi \cdot R^2 \cdot H}{V}$, where L is length of capillary tube in cm., U max. potential difference in v., D dielec. const. of liquid, ρ sp. gr. of liquid, μ viscosity coeff. in g./sq. cm. sec., φ elec. potential in the liquid, R internal diam. of the capillary tube in cm., V resistance in Ω, and H liquid head in cm. S. found that reproducible results were obtained provided H₂O was completely free of CO₂ and the capillary tube well rinsed with distill. HNO₃ or HCl followed by rinsing with the tested sample of water for 30 min.

P. J. Hendel

SOKALSKI, Z.

Category: Poland

B-12

Abstr Jour: Zh--Kh, No 3, 1957, 7671

Author : Sokalski, Z.

Inst : Not given

Title : Determination of Zeta Potential from Streaming Potential Measurements

Orig Pub: Zesz. nauk. Politechn. Slaskiej, 1955, No 3, 7-40 (published in Polish)

Abstract: The causes of the lack of reproducibility in the results of the determination of the zeta potential (EKP: elektrokinetichniy potentsial) of pure H₂O (I) obtained from streaming potential measurements have been investigated. It is noted that deviations in the determination of the specific conductivity (κ) of I can cause large variations in the value of EKP; hence particular attention is devoted to the methods used in the measurement of the κ of I. A method for the measurement of κ of I is described which does not require the sampling of the I in the cell. A method for the determination of the κ

Card : 1/2

-5-

Category: Poland

Abstr Jour: Zh.-Kh., No 3, 1957, 7671

of liquids in capillary tubes is described; the method is based on the determination of the time rate of change of the potential of a condenser K charged with a Helmholtz potential. It is shown that for uniform liquid flow the charging of K by the Helmholtz potential follows an equation of the type $\mu = \mu_{\text{max}} [1 - \exp(-t/cw)]$ where μ is the voltage, t is the time, c is the capacitance of K and w is the resistance; the above equation can be used only when I has a constant K . Conditions have been developed under which equal samples of I give reproducible charging curves of K. Constant EKP values are obtained only for identical samples when I of given K and a given capillary are used. When separately prepared samples of I are used, different EKP values are obtained notwithstanding the identity in K values.

Card: 2/2

-6-

Sokalski

APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R001651920011-5"

✓1091

622.791 : 541.128.35

Sokalski Z., Szota P. Introductory Investigations of the Refinement of Silicon Earth for the Production of Carriers.

"Wstępne badania nad uszlachetnianiem ziemi krzemionkowej do produkcji nośnika". Przemysł Chemiczny, No. 8, 1955, pp. 437-439, 6 tabs.

Five methods of refining silicon earth (opal silica) were used, including: 1) conservative etching with 18% HNO₃; 2) etching with 6.5% HNO₃ in autoclave under high pressure applying sudden vapour expansion; 3) etching as under 2) without expansion; 4) roasting and 5) etching with 6.5% HNO₃ and roasting. The activity of cobalt-thorium-magnesium catalysts on carriers prepared were investigated over 500 hours, such activity being expressed in the yield of the products of synthesis. The best results were obtained for catalysts on carriers prepared by the conservative method; almost equally good were catalysts on carriers prepared by etching with 6.5% HNO₃, under pressure with sudden vapour expansion.

2

SOKALSKI

Distr: 4E2c(j)/4E3d

Refinement of siliceous earth for the production of catalyst supports. Z. Sokalski and P. Szota (Inst. Synt. Chem. Oddział, Oświeżanie, Poland). *Przegrod. Chem.* 34, 437-9 (1955).—Siliceous earth which was mineralogically an opal, analyzing SiO_2 87, Fe_2O_3 2.7, Al_2O_3 8.6, CaO 2.1, MgO 1.5, H_2O 3.0% (av.), was treated in 5 ways, namely: with 18% HNO_3 (I); with 6.5% I in a high-pressure autoclave, with sudden release of the pressure; in the same way, but without

the sudden pressure release; roasted; roasted and treated with 6.5% I. On such supports Co-Th-Mg catalysts were prepd., and their activity in the synthesis of light hydrocarbons investigated for 600 hrs. The treatment of the support with the 18% I proved to be best, and catalysts prepd. on supports with a 6.5% I treatment with sudden pressure release were almost as good. Werner Jacobson

*5
2-may
2**JJ*

Serial #1-Z

Bulk polymerization of methyl methacrylate. Z. Sokołowski and P. Siota (Inst. Synt. Chemicz., Oświęcim, Poland). *Przemysł Chemiczny*, 34, 404-8 (1955). — The influence of the material of the app. (Al, Cu, steel) on the bulk polymerization of methyl methacrylate was studied. The polymerization was run in such equipment with 0.03% initiator at 35 or 55°, 3-12 hrs., and the product obtained examined (color, viscosity). Then was investigated the influence of the purity of the monomer on the trend of the bulk polymerization and on the quality of the product obtained. Times and temps. necessary for obtaining a good yield of polymer with desirable properties, from any monomer available, are tabulated. It was found advantageous also to add during the course of the polymerization certain oxides, e.g., ThO₂ or SiO₂, in aunts. of 1-12%. Werner Jacobson

Distr: 4E2c(j)

SOKALSKI, Z.

"Chemical and chemistry-connected industries in the Korean People's Republic."
"Chemical and chemistry-connected industries in the Korean People's Republic."

p. 141 (Chemik) Vol. 10, no. 5, May 1957
Warsaw, Poland

SO: Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 4,
April 1958

SOKALSKI, Z.; DUBIK, J.

Thermodynamics of the Fisher-Tropsch synthesis.

p. 69 (Wiadomosci Chemiczne) Vol. 11, no. 2, Feb. 1957, Wroclaw, Poland

SO: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (EEAI) LC, VOL. 7, NO. 1, JAN. 1958

SOKALSKI, Zdzislaw; KRAMARZ, Wanda

Physicochemical characteristics of binding masses used in disulfuration of synthetic gases. Rocznik chemii 34 no.2: 529-552 '60. (EEAI 10:1)

1. Katedra Chemii Fizycznej Politechniki Slaskiej, Gliwice i Zaklad
Badawczy Zakladow Chemicznych Oswiecim
(Pyrrhotine) (Water gas) (Sulfur) (Desulfurization)

SOKALSKI, Zdzislaw

Measuring nozzles for high pressure. Przem chem 39 no.4:245-246
Ap '60.

1. Katedra Chemii Fizycznej, Politechnika Slaska, Gliwice

SOKALSKI, Zdzislaw, prof., dr. inz., (Gliwice, ul. Strzedy 23)

The physico-chemical properties of protein colloids. Folia Morphologica
12 no. 2/3:77-87 '61.

1. Department of Physical Chemistry, Silesia Polytechnic School, Gliwice.

SOKALSKI, Zdzislaw; KRAMARZ, Jerzy

On effective surface concentrations of reagents at stationary state
on iron catalysts in the Fischer-Tropsch hydrocarbons synthesis. Roczn
chemii 35 no.4:1029-1040 '61.

1. Department of Physical Chemistry, Silesian Institute of Technology,
Gliwice. .

SOKALSKI, Zdzislaw; IZYDORCZYK, Jan

Kinetics of silver corrosion in aqueous $(\text{NH}_4)_2\text{S}$ solutions
registered by the electrokinetic potential⁴.
Rocznik chemii 35 no.6:1697-1708 '61.

1. Department of Physical Chemistry, Technical University,
Gliwice.

SOKALSKI, Zdzislaw; MISNIAKIEWICZ, Walery

Physical and chemical properties of plastics - water systems,
registered by the flow potential. Przem chem 40 no.8:456-460 Ag '61.

1. Katedra Chemii Fizycznej Politechniki Slaskiej, Gliwice.

SOKALSKI, Zdzislaw; DZIEWICKI, Zygmunt

Porous systems in electrokinetic research. Przem chem 40 no.11:637-
643 N '61.

1. Katedra Chemii Fizycznej, Politechnika Slaska, Gliwice.

SOKALSKI, Zdzislaw

Structure of pyrrhotine systems in binding masses used for
desulfurization of synthesis gases. Chemia stosow 6 no.3:
389-396 '62.

1. Katedra Chemii Fizycznej, Politechnika, Gliwice.

SOKALSKI, Zdzislaw

Electrokinetic phenomena in microporous and microgauge systems
used as catalyst carriers. Przem chem 41 no.10:548-552 0 '62.

1. Katedra Chemii Fizycznej, Politechnika Slaska, Gliwice.

SOKALSKI, Zdzislaw; PODKOWSKA, Jozef

Kinetic and structural studies on powdered nickel-cobalt alloy catalysts in hydrogenation of benzene. Rocznik chemii 37 no. 7/8: 887-897 '63.

1. Department of Physical Chemistry, Silesian Institute of Technology, Gliwice.

SHEPOVALOV, S.T.; SOKAL'SKIY, A.M.; MASLOV, T.M., veterinarnyy vrach

Case of enzootia of malignant catarrhal fever in cattle.
Veterinariia 36 no.9:37-38 S '59. (MIRA 12:12)

1.Nachal'nik veterinarnogo otdela Ternopol'skogo oblast'khозupravleniya
(for Shepovalov). 2.Glavnyy veterinarnyy vrach Trembovlyanksogo rayona
(for Sokal'skiy).

(Cattle--Diseases and pests)

LEONT'YEV, Ye.A.; LUK'YANOVICH, V.M.; SOKAL'SKIY, Z.Ya.

Electron microscopy of Polish silica from deposits in the
Sandomierz region. Izv.AN SSSR. Otd.khim.nauk no.10:1168-
1170 O '56. (MLRA 9:12)

1. Institut fizicheskoy khimii Akademii nauk SSSR Politekhnicheskiy
institut, Glivitee, Pol'sha.
(Sandomierz region--Silica)

SOKANOVSKIY, B.V.

Notes on bark beetles of the U.S.S.R. (Coleoptera, Ipidae). Biul.
MOIP. Otd. biol. 59 no.5:13-22 S-0 '54. (MLRA 8:1)
(Bark beetles)

SOKANOVSKIY, B.V.

New species of bark beetles in Central Asia. Dokl. AN Tadzh.SSR
no.17:43-44 '56. (MLRA 9:11)

1. Institute nauchnoy informatsii Akademii nauk SSSR.
(Tajikistan--Bark beetles)

SOKANOVSKIY, B.V.

Notes on bark beetles of the U.S.S.R. (Coleoptera, Ipiiae)
[with summary in English]. Biul.MOIP. Otd.biol. 63 no.5:37-40
S-O '58 (MIRA 11:12)
(BARK BEETLES)

SOKALOVSKIY, B.V.

Systematics and distribution of bark beetles (Coleoptera, Ipidae)
in the U.S.S.R. and adjacent countries. Ent. oboz. 39 no.3:674-678
'60. (MIRA 13:9)
(Bark beetles)

OSETROV, P.A., kand. tekhn. nauk; SOKAS, P.I., kand. tekhn. nauk

Effect of shortwave ultraviolet rays on farm animals. Mekh. i
elek. sots. sel'khoz. 21 no.5:40-41 '63. (MIRA 17:1)

1. Khar'kovskiy institut mekhanizatsii i elektrifikatsii
sel'skogo khozyaystva (for Osetrov). 2. Litovskaya
sel'skokhozyaystvennaya akademiya (for Sokas).

SC.CIC, A.

"Chronic Suppurative Otitis Media With Emphasis on Radical Preparation Without Plastic Surgery." p. 59. (Vojnosanitetski Pravled, Military-Medical Review, Vol. 19, no. 1/2 Jan/Feb. 1955, Beograd)

SO: Monthly List of East European Accessions. Vol. 3, no. 3. Library of Congress. March 1954.
Uncl.

SOKCIC, A., putpukovnik dr.

Injuries of the frontal and ethmoidal sinuses. Voj. san. pregl.,
Beogr. ll no.11-12:510-516 Nov-Dec 54.

1. Otorinolaringolska klinika VMA.
(WOUNDS AND INJURIES
ethmoid & frontal sinus)
(ETHMOID SINUS, wds. & inj.)
(FRONTAL SINUS, wds. & inj.)

SOKCIC, Ante, Ppuk.doc.dr.

Otogenous paralysis of the facial nerve and its therapy. Srpski
arh.celok.lek. 87 no.11:1389-1399 Nov. 54.

1. Klinika za bolesti uva, nosa i grla Vojno-medicinske akademije
JNA u Beogradu. Nacelnik: ppuk.doc.dr Ante Sokcic.

(PARALYSIS,

 facial, ther.)

(NERVES, FACIAL, paralysis,

 ther.)

SOKCIC, A.

Osteoma of the frontal sinus. Med.preg., Novi Sad 8 no.1:35-41
1955.

1. Otolaringoloska klinika Vojnomedicinske akademije-Beograd,
Nacelnik klinike; puk.doc.dr. A. Sokcic.

(FRONTAL SINUSES, neoplasms
osteoma, case reports (Ser))

(OSTEOMA,
frontal sinus, case reports (Ser))

SOKCIC, Ante, doc.dr.

Surgical treatment of Bell's palsy of the facial nerve. Med.
glasn. 9 no.2-3:67-71 Feb-Mar '55.

1. Otorinolaringoloska klinika Vojno-medicinske akademije u
Beogradu (nachelnik doc.pluk dr. A. Sokcic).
(NERVES, FACIAL, paralysis,
Bell's palsy, surg.)

SOKCIC, Ante, Potpukovnik doc., dr.

Personal experiences with decompression of the facial nerve.
Voj. san. pregl., Beogr, 13 no.7-8:325-333 July-Aug 56.

1. Otorinolaringoloska klinika VMA.
(FACIAL PARALYSIS, surg.
decompression, indic. (Ser))

SOKCIC, Anatol, sanitetski pukovnik prof. dr.

Contribution to surgical therapy of gunshot injuries of the
mastoid. Voj.san.pregl., Beogr. 17 no.4:395-399 Ap '60.

1. Otorinolaringolska klinika.
(MASTOID wds. & inj.)
(WOUNDS GUNSHOT surg.)

SOKCIC, Ante; MITROVIC, Momcilo

Tumors of the glomus jugulare. Srpski arh. celok. lek. 89 no.10:1139-1147 0 '61.

1. Otorinolaringolska klinika Vojno-medicinske akademije u Beogradu
Nacelnik: puk. prof. dr Ante Sokcic.

(GOMANGIOMA case reports)

SOKCIC, Ante, sanitetski pukovnik, prof. dr.; MITROVIC, Mihailo, sanitetski potpukovnik, dr.; PAUNOVIC, Srdjan, sanitetski kapetan i klasa, dr.

A case of foreign body in a newly formed esophagus. Vojnosanit. pregl. 21 no.42257-259 Ap '64.

1. Vojnomedicinska akademija u Beogradu, Klinika za uho, nos i grlo.

SOREL, E.

4

5341. REMOVAL OF SULPHUR FROM COKE. PT III. Lovrcek, I., Busman, E. and Sokele, E. (Kem. Ind., Zagreb, 1957, vol. 6, 1-4). The effect of inorganic additives, such as aluminium trioxide, chrome oxide, molybdic acid, iron filings and liquid aluminate, on removal of sulphur in the process of coking of some Yugoslav coals was investigated. Experiments were carried out at 800°, taking 100 min to reach this temperature. Coking was carried out for two and for four hours and in the case of aluminium trioxide, additions of 0.25, 1.0 and 2.0% were tried. Results indicate a certain catalytic action; best results were obtained with liquid aluminate after additional washing of coke. By varying the conditions of coking and addition of suitable catalysts the sulphur content of coke can be greatly reduced.

S.C.I.

AT

SOKELE, Emiljan, ing.; HACKMAN, Björn, ins.

Determination of the filtration constante of viscose. Kem ind 9 no.
10:251-256 O '60.

1. Fabrika celuloze, Banja Luka (for Sokela). 2. Oy Kaukas Ab,
Finnland (for Hackman).

SOKERIN, P. I.

SOKERIN, P. I. - Inzh. i BAUMGART, V. C. - Prof. i DULNEV, V. B. - Kand. Tekhn.
Nauk St. Nauchn. Sctr.

Vsesoyuznyy nauchno-issledovatel'skiy institut gidrotehniki im. B. Ye. Vedeneyeva.
Ratsionalizatsiya konstruktsiy otstoynykh sooruzheniy Page 85

SO: Collection of Annotations of Scientific Research Work on Construction, completed
in 1950.
Moscow, 1951

SOKEROV, KHR.

MAVRONOV, N.; SOKEROV, KHR.; MADZHAROV, G.

Some functional manifestations of hypertension during treatment
in the health resort of Bianka. Suvrem. med., Sofia 7 no.9:41-48
1956.

1. Iz III vutreshna klinika pri ISUL (Direktor: dots. V. TSonchev)
i sanatoriyem No 2-Bankia. (Gl. lekar: D. Kochankov).
(HYPERTENSION, ther.
determin. of physiol. manifest. during & after ther.
in health resort)

ACC NR: AT7005779

SOURCE CODE: BU/2506/66/009/000/0101/0118

AUTHOR: Sokerova, D.; Grigorova, E.--Grigorova, Ye.; Gochev, P.

ORG: none

TITLE: Investigation of the elements and seismotectonic characteristics of the 15 March 1964 earthquake in the Yambol region

SOURCE: Bulgarska akademiya na naukite. Geofizichniya institut. Izvestiya, v. 9, 1966, 101-118

TOPIC TAGS: earthquake, seismicity, macroseism, ~~epicenter, focal depth~~, earth crust, seismic wave, SEISMOGRAPHY / YAMBOL REGION

ABSTRACT: The earthquake of 15 March 1964 in the Yambol region was investigated using macroseismic and instrumental data. The magnitude of the earthquake was determined to be $M = 4$, while its intensity at the village of Skobeleva was VI. The earthquake originated at 20 hr 55 min 16 \pm 0.5 sec at a focal depth of 5—8 km. The geographic coordinates of the epicenter were determined to be $\phi = 42^\circ 30.7'$ and $\lambda = 26^\circ 23.6'$. The epicenter location error is believed not to exceed ± 3 km. The velocities of body waves in the seismic zone were calculated to be as follows:
 $VP = 6.48 \pm 0.024$, $V_S = 4.15 \pm 0.018$, $V_{Pg} = 4.72$, and $V_{Sg} = 3.20$ km/sec. The reason for the low values of seismic waves in the area in comparison to other regions in Europe were not established and will be the subject

UDC: none

Card 1/2

ACC NR: AT7005779

of a future study. The depth to the Mohorovicic discontinuity in the Yambol region was determined to be 34 ± 4 km. The geotectonic characteristics of the area and the origin of the earthquakes are discussed. It was found that the earthquakes in the Yambol seismic zone are associated primarily with two faults, extending to depths between 5 and 25 km. Orig. art. has: 13 formulas, 12 figures, and 6 tables. [CS]

SUB CODE: 08/ SUBM DATE: 10Jul65/ ORIG REF: 015/ OTH REF: 007/ SOV REF: 006/
ATD PRESS: 5115

Card 2/2

BELYATSKIY, D.P.; SOKGOBENZON, Ye.Ye.

Epidemiology of sporadic typhus in the White Russian S.S.R.
Zdrav. Belor 5 no.2:39-42 F '59. (MIRA 12:7)

1. Kafedra organizatsii zdravookhraneniya i istorii meditsiny i
kafedry infektsionnykh bolezney s epidemiologiyey Minskogo medit-
sinskogo instituta.

(WHITE RUSSIA--TYPHUS FEVER)

FILIPPOVICH, A.N., prbf.; SOKGOBENZON, Ye.Ye., dotsent; MAGID, T.Kh.,
assistant

Clinical and epidemiological peculiarities of typhus today.
Zdrav. Bel. 7 no.3:7-9 Mr '61. (MIRA 14:3)

1. Kafedra infektsionnykh bolezney s epidemiologiyey (zaveduyushchiy
prof. A.N.Filippovich) Minskogo meditsinskogo instituta.
(WHITE RUSSIA—TYPHUS FEVER)

KLYUCHAREV, A.A.; SOKGOBENZON, Ye.Ye.; LEBEDEV, N.I.; PASHKOVSKAYA, B.S.

Bacterial vection in dysentery. Zdrav. Bel. 9 no.8:6-9 Ag '63.
(MIRA 17:3)

1. Iz kafedry infektsionnykh bolezney s epidemiologiyey (zav. -
doktor med. nauk D.V. Poleshko) Minskogo meditsinskogo instituta.

PIROGOV, A.A.; KRASS, Ya.R.; BORISKIN, I.Ye.; KOSTINSKIY, D.S.;
SOKHA, G.Ye.; YEVDOKIMOV, Yu.P.

Using magnesia concrete and brick blocks for lining electric steel
smelting furnaces. Ogneupory 26 no. 4:176-180 '61. (MIRA 14:5)

1.Ukrainskiy nauchno-issledovatel'skiy institut ogneuprov (for
Pirogov, Krass). 2. Khar'kovskiy traktornyj zavod (for Boriskin,
Kostinskiy, Sokha, Yevdokimov).

(Refractory materials) (Smelting furnaces)

ASHIROV, K.B.; GUBANOV, A.I.; SAZONOV, B.F.; SOKHACHEVSKAYA, I.A.

Geology and oil potential of the Krasnyy IAr oil field and conditions
of its development. Trudy Giprovostoknefti no.3:146-164 '61.

(MIRA 14:12)

(Volga Valley--Petroleum geology)

KOLGANOV, V.I.; SOKHACHEVSKAYA, I.A.; YEGURTSOV, N.N.; SHUSTEF, I.N.

Analysis of the development of the producing layer B₂ of the Lower Carboniferous coal-bearing horizon in the Krasnoyarsk and Belozerka fields. Trudy Giprovostoknefti no.5:177-190 '62.
(MIRA 16:8)
(Kuybyshev Province--Oil reservoir engineering)

YEGUPTSOV, N.N.; SOKHACHEVSKAYA, I.A.; SHUSTEF, I.N.

Development of the layer B_c of the Tula horizon in the Karlovo-Sytovskaya field. Trudy Giprovostoknefti no.5:191-196 '62.
(MIRA 16:8)
(Samara Bend---Oil reservoir engineering)

ASHIROV, K.B.; GUBANOV, A.I.; SAZONOV, B.F.; SOKHACHEVSKAYA, I.A.

Geology and oil potential of the Krasnyy Yar field and systems
for its development. Trudy Giprovostoknefti no.3:146-164 '61.
(MIRA 16:7)

(Krasnyy Yar region(Kuybyshev Province)--Oil
reservoir engineering)

SOKHACHEVSKIY, N.A., dotsent; BABICHKOV, A.M., professor, doktor
tekhnicheskikh nauk, redaktor; DACHUK, L.Ia., redaktor; SALEND, S.V. redaktor; KHITROV, P.A., tekhnicheskiy redaktor.

[Locomotive operation and servicing] Ksplotatsiya lokomotivov i lokomotivnoe khoziaistvo Pod obshchel red. A.M. Babichkova. Moskva, Gos.transp. zhel-dor. izd-vo. Pt.2. [Locomotive servicing] Lokomotivnoe khoziaistvo. 1950. 403 p. (MIRA 10:6)
(Locomotives--Maintenance and repair)

SOKHACHEVSKIY, N.A., prof. (g.Gomel'); GUTKOVSKIY, V.A., doktor tekhn.nauk
(g.Gomel'); DOGIN, M.Ye., doktor tekhn.nauk (g.Gomel'); MIKLASHEVSKIY,
S.N., inzh., kand.tekhn.nauk (g.Gomel')

"Diesel locomotives" by K.A.Shishkin and others. Reviewed by
N.A.Sokhachevskii and others. Zhel.dor.transp.44 no.3:95-96 Mr '62.
(MIRA 15:3)
(Diesel locomotives)(Shishkin,K.A.)

"APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R001651920011-5

SOKHAIM, A. K.

"Perezhitki skotovodcheskikh kul'tov u zapadno-gruzinskikh gortssov."

report submitted for 7th Intl Cong, Anthropological & Ethnological Sciences,
Moscow, 3-10 Aug 64.

APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R001651920011-5"

SOKHADZE, A.P.

Testing precast reinforced concrete spherical shells. Trudy
Inst.stroi.dela AN Gruz.SSR 7:265-274 '59.
(MIRA 13:5)
(Elastic plates and shells--Testing)

SHAKHROMANOV, G.S.; SOKHADZE, A.P.

Analysis of shells for tangential forces. Soob. AN Cruz. SSR 22
no. 4:441-447 Ap '59. (MIRA 12:9)

1. AN GruzSSR, Institut stroitel'nogo dela. Predstavлено
членом-корреспондентом Академии О.Д. Oniashvili.
(Elastic plates and shells)

"APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R001651920011-5

SOKHADZE, A.P.

Prestressed reinforced concrete shells. Trudy Inst.stroi.dala AN
Gruz.SSR 8:51-62 '60. (MIRA 14:10)
(Prestressed concrete construction)

APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R001651920011-5"

SOKHADZE, A.P.

Experimental investigation of a shallow reinforced concrete panel of a spherical shell with a prestressed periphery. Soob. AN Gruz. SSR 24 no. 1:49-56 Ja '60. (MIRA 14:5)

1. Akademiya nauk Gruzinskoy SSR, Institut stroitel'nogo dela, Tbilisi. Predstavлено членом-корреспондентом Академии О.Д. Oniashvili.

(Reinforced concrete construction)

SOKHADZE, A. P., Cand Tech Sci -- "Study of ^{a sloping} ~~the structure~~
^{Rinik sick} ferroconcrete casing of double curvature with a prestressed
contour." Tbilisi, Pub House of Acad Sci GSSR, 1961. (State
Com of Higher and Sec Spec Ed of the Council of Ministers
GSSR. Georgian Order of Labor Red Banner Polytech Inst im
V. I. Lenin) (KL, 8-61, 249)

- 314 -

SOKHADZE, A.P.

Approximate calculation of prestressed shallow shells with a
double curvature. Soob. AN Gruz. SSR 27 no.3:293-297 S '61.
(MIRA 15:3)

1. Akademiya nauk Gruzinskoy SSR, Institut stroitel'nogo dela,
Tbilisi. Predstavlena akademikom O.D.Oniashvili.
(Elastic plates and shells)

SOKHADZE, A.P.

Technology of the assembly of large-panel frameless buildings. Trudy
Inst. stroi.mekh. i seism. AN Cruz. SSR 9:201-208 '63.
~ (MIRA 17:12)

SOKHADZE, M.A.

New species of the genus Haplothrips Serville from Georgia.
Trudy Inst. zool. AN Gruz. SSR 18:207-208 '61. (MIRA 15:6)
(Georgia--Thrips)

SOKHADZE, M.K.

Materials on vertical zonal distribution of thrips in eastern
Georgia. Trudy Inst. zool. AN Gruz. SSR 16:267-290 '58.

(MIRA 11:12)

(Georgia--Thrips)

SOKHADZE, M.K.

Thrips from the vicinity of Tiflis. Soob. An Gruz. SSR 25
no. 4:455-456 O '60. (MIRA 14:1)

1. Akademiya nauk Gruzinskoy SSR. Institut zoologii, Tbilisi.
Predstavлено академиком Н.Н. Кетшховели.
(Tiflis region--Thrips)

SOKHADZE, Ye. V.; SOKHADZE, M. Ye.

Caucasus - Grasses

Bioecological characteristics of beard grass (*Andropogon ischaemum* L.) and structure of its associates in the Caucasus. Biul. MOIP. Otd. biol. 57 no. 3, 1952.

Monthly List of Russian Accessions, Library of Congress, November 1952. UNCLASSIFIED.

SOKHADZE, Ye.V.; SOKHADZE, M.Ye.

Vegetation of the Lechkhumi Range. Trudy Inst. geog. AN Gruz. SSR
12:183-194 '59.
(Lechkhumi Range--Botany)

(MIRA 13:10)

SOKHADZE, Ye.V.; SOKHADZE, M.Ye.

Some phytogeographical features of the forest zone of the
Mingreliya Range. Soob. AM Gruz.SSR 22 no.5:535-539
My '59. (MIRA 12:11)

l. Akademiya nauk Gruzinskoy SSR, Institut geografii im.
Vakhushti, Tbilisi. Predstavлено академиком A.N.Dzhavakhi-
shvili).
(Mingreliya Range--Botany)

SOKHADZE, Ye.V.; SOKHADZE, M.Ye.

Vegetation of limestone massifs in the moutainous part of Mingrelia
(western Georgia). Probl. bot. 5:163-169 '60. (MIRA 13:10)

1. Botanicheskiy institut AN GruzSSR, Tbilisi.
(Mingrelia--Alpine flora)

SOKHADZE, Ye.V.; SOKHADZE, M. Ye.

Rhododendrons of the Okhachkuye limestone massif (Abkhazia).
Bot. zhur. 45 no.4:578-583 Ap '60. (MIRA 14:5)

1. Institut geografii im. Vakhushti Akademii nauk Gruzinskoy SSR,
g. Tbilisi. (Okhachkuye—Rhododendron)

SOKHADZE, Ye.V.; SOKHADZE, M.Ye.

Phytogeographical characteristics of Abkhazia. Trudy Inst. geol.
AN Gruz. SSR 14:159-166 '61. (MIRA 18:5)

SOKHADZE, Yo.V.; SOKHADZE, M.Yo.

Effect of karst depressions on the vegetation of the limestone belt
in western Georgia. Soob.AN Gruz.SSR 26 no.3:291-295 Mr '61.

(MIRA 14:4)

1. AN Gruzinskoy SSR. Institut geografii imeni Vakhushti, Tbilisi.
Predstavleno akademikom A.N.Dzhavakhishvili.

(GEORGIA—BOTANY) (KARST)

SOKHADZE, Ye.V.; SOKHADZE, M.Ye.

Outline of the vegetation in the Nakeral'skii ridge. Trudy
Inst. geog. AN Gruz. SSR 17:97-105 '62. (MIRA 16:7)

(Rachina Range--Vegetation and climate)

SOKHADZE, Ye.V.; SOKHADZE, M.Ye.

Botanical and geographical characteristics of the Kvira
and the Okhachkuye limestone massifs. Trudy Inst. geog. AN
Gruz. SSR 18:161-173 '64. (MIRA 17:6)

SOKHADZE, Ye.V.; SOKHADZE, M.Ye.

Botanico-geographical features of the limestone Massifs of
Migariya and Gaucha (Megreliya). Trudy Inst. geog. AN Gruz.
SSR 20:105-118 '64. (MIRA 18:5)

SOKHADZE, Ye.V.; SOKHADZE, M.Ye.

Phytogeographical characteristics of the mountain part of the
limestone belt of western Georgia. Biul.MOIP.Otd.biol. 69
no.2:121-129 Mr-Ap '64. (MIRA 17:4)

CHILINGAROVA, S.V., kand.biolog.nauk; GABASHVILI, A.S., nauchnyy sotrudnik;
SOKHADZE, N.D., nauchnyy sotrudnik

Sanitary evaluation of the soils of school and kindergarten grounds.
Gig.i san. 25 no.1:104-106 Ja '60. (MIRA 13:5)

1. Iz Nauchno-issledovatel'skogo instituta sanitarii i gigiyeny
Ministerstva zdravookhraneniya Gruzinskoy SSR.
(SOIL microbiol.)

SEDEL'NIKOV, G.N., polkovnik meditsinskoy sluzhby; ZAKHAROV, V.F.,
podpolkovnik meditsinskoy sluzhby; SOKHADZE, V.F., podpolkovnik
meditsinskoy sluzhby

Ways of loading (unloading) of wounded on naval vessels.
Voen. med. zhur. no.10:47-49 O '65. (MIRA 18:11)

1955, 1956.

Strelkov, V.M.: "The interaction of fused lead silicates and refractory materials". Leningrad, 1955. "in Higher Education USSR. Leningrad Order of Labor and Banner Technological Inst ieni Leningrad Soviet, Chair of Silicate Technology. (Dissertation for the Degree of Candidate of Technical Sciences)

1 : Vestnaya Literatury No. 17, 19 November 1955. Moscow.

~~Grasses - Caucasus~~

Grasses - Caucasus
Bioecological characteristics of beard grass (*Andropogon ischaemum L.*) and
structure of its associations in the Caucasus. Buil. MOIP. Otd. biol., 57, No.3, 1952.

Monthly List of Russian Accessions, Library of Congress, November 1952, UNCLASSIFIED

"APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R001651920011-5

SOKHADZE,
Ye.V.

Basic features of the vegetation of southern Georgia. Trudy
Inst.geog.AN Gruz.SSR 8:163-175 '57. (MIRA 10:12)
(Georgia--Botany--Geographical distribution)

APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R001651920011-5"

SOKHADZE, Ye.V.

Basic characteristics of Upper Imeretian vegetation.
Trudy Inst. geog. AN Gruz. SSR 10:135-153 '58. (MIRA 12:8)
(Imeretia--Botany)

ASTAKHOV, N.Ye.; VLADIMIROV, L.A.; GOGISHVILI, K.S.; KORDZAKHIYA, M.O.;
MARUASHVILI, L.I.; SOKHADZE, Ye.V.

Physicogeographical characteristics of Upper Imeretia. Trudy Inst.
geog. AN Gruz. SSR 10:155-193 '58. (MIRA 12:8)
(Imeretia--Physical geography)

SOKHADZE, Ye.V.; SOKHADZE, M.Ye.

Vegetation of the Lechkhumi Range. Trudy Inst. geog. AN Gruz. SSR
12:183-194 '59.
(Lechkhumi Range--Botany)

ASTAKHOV, N.Ye.; VLADIMIROV, L.A.; DONDUA, G.D.; KORDZAKHIA, M.O.;
MARUASHVILI, L.I.; NEGRANISHVILI, S.N.; SOKHADZE, Ye.V.; UKLEPA, D.B.,
CHANGASHVILI, G.Z.

Physicogeographical study of the Lechkhumi-Rachinskiy mountain
depression. Trudy Inst. geog. AN Gruz. SSR 12:197-220 '59.
(MIRA 13:10)
(Georgia--Physical geography)

SOKHADZE, Ye.V.; SOKHADZE, M.Ye.

Some phytogeographical features of the forest zone of the
Mingreliya Range. Soob.AN Gruz.SSR 22 no.5:535-539
My '59. (MIRA 12:11)

1. Akademiya nauk Gruzinskoy SSR, Institut geografii im.
Valkhushti, Tbilisi. Predstavлено академиком A.N.Dzhavakhi-
shvili). (Mingreliya Range--Botany)

SOKHADZE, Ye.V.; SOKHADZE, M.Ye.

Vegetation of limestone massifs in the moutainous part of Mingrelia
(western Georgia). Probl. bot. 5:163-169 '60. (MIRA 13:10)

1. Botanicheskiy institut AN GruzSSR, Tbilisi.
(Mingrelia--Alpine flora)

SOKHADZE, Ye.V.; SOKHADZE, M. Ye.

Rhododendrons of the Okhachkuye limestone massif (Abkhazia).
Bot. zhur. 45 no.4:578-583 Ap '60. (MIRA 14:5)

1. Institut geografii im. Vakhushti Akademii nauk Gruzinskoy SSR,
g. Tbilisi. (Okhachkuye—Rhododendron)

SOKHADZE, Ye.V.; SOKHADZE, M.Ye.

Phytogeographical characteristics of Abkhazia. Trudy Inst. geogr.
AN Gruz. SSR 14:159-166 '61. (MIRA 18:5)

SOKHADZE, Ye.V.; SOKHADZE, M.Ye.

Effect of karst depressions on the vegetation of the limestone belt
in western Georgia. Soob.AN Gruz.SSR 26 no.3:291-295 Mr '61.
(MIRA 14:4)

1. AN Gruzinskoy SSR. Institut geografii imeni Vakhushti, Tbilisi.
Predstavleno skademikom A.N.Dzhavakhishvili.
(GEORGIA—BOTANY) (KARST)

SOKHADZE, Ye.V.; SOKHADZE, M.Ye.

Outline of the vegetation in the Nakeral'skii ridge. Trudy
Inst. geog. AN Gruz. SSR 17:97-105 '62. (MIRA 16:7)

(Rachina Range--Vegetation and climate)

SOKHADZE, Ye.V.; SOKHADZE, M.Ye.

Botanical and geographical characteristics of the Kvira
and the Okhachkuye limestone massifs. Trudy Inst. geog. AN
Gruz. SSR 18:161-173 '64. (MIRA 17:6)

SOKHADZE, Ye. V.

"Ecological and botanico-geographical features of the chalky mountains vegetation."

report submitted for 10th Intl Botanical Cong, Edinburgh, 3-12 Aug 64.

AS GSSR.